ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT

Product Service

C E R T I F I C A T E

No. Z2 119762 0004 Rev. 00

Holder of Certificate: **FuturaSun Srl**
Riva del Pasubio 14
35013 Cittadella (PD)
ITALY

Certification Mark:

Product: **Crystalline Silicon Terrestrial Photovoltaic (PV) Modules**

Mono-crystalline Silicon Photovoltaic Module

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 701262523801-00

Valid until: 2030-05-22

Date, 2025-11-24

(Zhulin Zhang)

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT

Product Service

C E R T I F I C A T E

No. Z2 119762 0004 Rev. 00

Model(s):

1500 V DC Maximum System voltage, Single Glass Modules:
FUxxxMV Silk Nova RE, FUxxxMVBF Silk Nova RE,
FUxxxMVB Silk Nova RE, FUxxxMVBT Silk Nova RE,
FUxxxMVT Silk Nova RE (xxx=615-635, in steps of 5);
FUxxxMV Silk Nova RE, FUxxxMVBF Silk Nova RE,
FUxxxMVB Silk Nova RE, FUxxxMVBT Silk Nova RE,
FUxxxMVT Silk Nova RE (xxx=550-600, in steps of 5);
FUxxxMV Silk Nova RE, FUxxxMVBF Silk Nova RE,
FUxxxMVB Silk Nova RE, FUxxxMVBT Silk Nova RE,
FUxxxMVT Silk Nova RE (xxx=505-550, in steps of 5);
FUxxxMV Silk Nova RE, FUxxxMVBF Silk Nova RE,
FUxxxMVB Silk Nova RE, FUxxxMVBT Silk Nova RE,
FUxxxMVT Silk Nova RE (xxx=460-500, in steps of 5);
FUxxxMV Silk Nova RE, FUxxxMVBF Silk Nova RE,
FUxxxMVB Silk Nova RE, FUxxxMVBT Silk Nova RE,
FUxxxMVT Silk Nova RE (xxx=410-450, in steps of 5);
FUxxxMV Silk Nova RE, FUxxxMVBF Silk Nova RE,
FUxxxMVB Silk Nova RE, FUxxxMVBT Silk Nova RE,
FUxxxMVT Silk Nova RE (xxx=365-400, in steps of 5);
FUxxxMV Silk Nova, FUxxxMVBF Silk Nova,
FUxxxMVB Silk Nova, FUxxxMVBT Silk Nova,
FUxxxMVT Silk Nova (xxx=595-635, in steps of 5);
FUxxxMV Silk Nova, FUxxxMVBF Silk Nova,
FUxxxMVB Silk Nova, FUxxxMVBT Silk Nova,
FUxxxMVT Silk Nova (xxx=550-575, in steps of 5);
FUxxxMV Silk Nova, FUxxxMVBF Silk Nova,
FUxxxMVB Silk Nova, FUxxxMVBT Silk Nova,
FUxxxMVT Silk Nova (xxx=495-515, in steps of 5);
FUxxxMV Silk Nova, FUxxxMVBF Silk Nova,
FUxxxMVB Silk Nova, FUxxxMVBT Silk Nova,
FUxxxMVT Silk Nova (xxx=440-460, in steps of 5);

1500 V DC Maximum System voltage, Double Glass Modules:
FUxxxMV Silk Nova Duetto, FUxxxMVBF Silk Nova Duetto,
FUxxxMVB Silk Nova Duetto, FUxxxMVBT Silk Nova Duetto,
FUxxxMVT Silk Nova Duetto (xxx=605-635, in steps of 5);
FUxxxMV Silk Nova Duetto, FUxxxMVBF Silk Nova Duetto,
FUxxxMVB Silk Nova Duetto, FUxxxMVBT Silk Nova Duetto,
FUxxxMVT Silk Nova Duetto (xxx=550-575, in steps of 5);
FUxxxMV Silk Nova Duetto, FUxxxMVBF Silk Nova Duetto,
FUxxxMVB Silk Nova Duetto, FUxxxMVBT Silk Nova Duetto,
FUxxxMVT Silk Nova Duetto (xxx=495-515, in steps of 5);
FUxxxMV Silk Nova Duetto, FUxxxMVBF Silk Nova Duetto,
FUxxxMVB Silk Nova Duetto, FUxxxMVBT Silk Nova Duetto,
FUxxxMVT Silk Nova Duetto (xxx=440-460, in steps of 5);
FUxxxMV Silk Nova RE Duetto, FUxxxMVBF Silk Nova RE Duetto,
FUxxxMVB Silk Nova RE Duetto, FUxxxMVBT Silk Nova RE Duetto,
FUxxxMVT Silk Nova RE Duetto (xxx=615-650, in step of 5);
FUxxxMV Silk Nova RE Duetto, FUxxxMVBF Silk Nova RE Duetto,
FUxxxMVB Silk Nova RE Duetto, FUxxxMVBT Silk Nova RE Duetto,
FUxxxMVT Silk Nova RE Duetto (xxx=550-600, in steps of 5);
FUxxxMV Silk Nova RE Duetto, FUxxxMVBF Silk Nova RE Duetto,
FUxxxMVB Silk Nova RE Duetto, FUxxxMVBT Silk Nova RE Duetto,
FUxxxMVT Silk Nova RE Duetto (xxx=505-550, in steps of 5);
FUxxxMV Silk Nova RE Duetto, FUxxxMVBF Silk Nova RE Duetto,
FUxxxMVB Silk Nova RE Duetto, FUxxxMVBT Silk Nova RE Duetto,
FUxxxMVT Silk Nova RE Duetto (xxx=470-500, in steps of 5);
FUxxxMV Silk Nova RE Duetto, FUxxxMVBF Silk Nova RE Duetto,
FUxxxMVB Silk Nova RE Duetto, FUxxxMVBT Silk Nova RE Duetto,
FUxxxMVT Silk Nova RE Duetto (xxx=420-450, in steps of 5);
FUxxxMV Silk Nova RE Duetto, FUxxxMVBF Silk Nova RE Duetto,
FUxxxMVB Silk Nova RE Duetto, FUxxxMVBT Silk Nova RE Duetto,
FUxxxMVT Silk Nova RE Duetto (xxx=375-400, in steps of 5);
FUxxxMV Silk Nova Premium RE Duetto,
FUxxxMVBF Silk Nova Premium RE Duetto,
FUxxxMVB Silk Nova Premium RE Duetto,
FUxxxMVBT Silk Nova Premium RE Duetto,
FUxxxMVT Silk Nova Premium RE Duetto (xxx=680-715, in steps of 5);
FUxxxMV Silk Nova Premium RE Duetto,
FUxxxMVBF Silk Nova Premium RE Duetto,

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT

Product Service

C E R T I F I C A T E

No. Z2 119762 0004 Rev. 00

FUxxxMVB Silk Nova Premium RE Duetto,
FUxxxMVBT Silk Nova Premium RE Duetto,
FUxxxMVT Silk Nova Premium RE Duetto (xxx=620-650, in steps of 5);
xxx is standing for rated output power at STC.

Parameters:

Safety Class:	Class II
Max. System Voltage:	1500V DC
Test Laboratory:	Changzhou HuaYang Inspection and Testing Technology Co., Ltd. B Area on 1/F., Building 12, C Area on 4/F., and A Area on 1/F., Building 10, No. 8, Lanxiang Road, West Taihu Science and Technology Industrial Park, Changzhou Jiangsu, China
Construction:	Framed, with Junction box, cable and connector.
Fire Safety Class:	Class C according to UL790

Tested according to:

IEC 61215-1:2021
EN IEC 61215-1:2021/AC:2021
IEC 61215-1-1:2021
EN IEC 61215-1-1:2021
IEC 61215-2:2021
EN IEC 61215-2:2021
IEC 61730-1:2023
IEC 61730-2:2023

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®