CERTIFICATE

Issued to:
Applicant:
FuturaSun S.R.L.
Riva del Pasubio 14
35013 Cittadella (PD), Italy

Licensee:
FuturaSun S.R.L.
Riva del Pasubio 14
35013 Cittadella (PD), Italy

Product : Photovoltaic (PV) Module(s)
Trade name(s) : FuturaSun
Type(s)/model(s) : PV module with mono c-Si cells

The product and any acceptable variation thereof as specified in the Annex to this certificate and the documents referred to therein.

DEKRA hereby declares that the above-mentioned product has been certified based on:
- an evaluation according to the standard(s) IEC 61215-1:2021, IEC 61215-1-1:2021, IEC 61215-2:2021, IEC 61730-1:2023 and IEC 61730-2:2023
- a periodic surveillance
- a DEKRA certification agreement with the number 6060102

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:
Category : Photovoltaic
Keyword : Module Tested
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 15 April 2026 and expires at the latest on 20 October 2028.

Certificate number: 31-131731 REV.5

DEKRA Certification B.V.

B.T.M. Holtus
Managing Director

Cliff Lin
Certification Manager

© Integral publication of this certificate is allowed

31-131731

SPECIFICATION OF THE CERTIFIED PRODUCT

Product data

Product	:	Photovoltaic (PV) Module(s)
Trade name(s)	:	FuturaSun
Type(s)/model(s)	:	FUxxxMV Silk Nova, FUxxxMV Silk Nova Orange, FUxxxMV Silk Nova Red, FUxxxMV Silk Nova Rhino, FUxxxMV Silk Rhino, FUxxxM Silk Nova, FUxxxM Silk Nova Orange, FUxxxM Silk Nova Red, FUxxxM Silk Nova Rhino, FUxxxM Silk Rhino, OGS10M, OGS10M Orange, OGS10M Red, OGS4M Orange, OGS4M Red, OGS5M, OGS5M Orange, OGS5M Red, OGS8M Orange and OGS8M Red
Protection Class	:	Class II
Pollution Degree	:	1
Fire Rating	:	Class C according to UL790
Design	:	PV module with mono c-Si cells

Product data – type FUxxxM Silk Nova

Maximum System Voltage	:	1000V
Description	:	xxx=570-590, in steps of 5, 144 cells xxx=470-490, in steps of 5, 120 cells xxx=425-445, in steps of 5, 108 cells xxx=605-665, in steps of 5, 132 cells xxx= 550-600, in steps of 5, 120cells xxx= 500-560, in steps of 5, 108cells xxx=435-495, in steps of 5, 96 cells

Product data – type FUxxxM Silk Nova Orange

Maximum System Voltage	:	1000V
Description	:	xxx=500-520, in steps of 5, 144cells xxx=530-550, in steps of 5, 132cells xxx=425-445, in steps of 5, 120cells xxx=490-510, in steps of 5, 120cells xxx=370-400, in steps of 5, 108cells xxx=440-460, in steps of 5, 108cells xxx=400-420, in steps of 5, 96cells

Product data – type FUxxxM Silk Nova Red

Maximum System Voltage	:	1000V
Description	:	xxx=500-520, in steps of 5, 144cells xxx=530-550, in steps of 5, 132cells xxx=425-445, in steps of 5, 120cells xxx=490-510, in steps of 5, 120cells xxx=370-400, in steps of 5, 108cells xxx=440-460, in steps of 5, 108cells xxx=400-420, in steps of 5, 96cells

Product data – type FUxxxM Silk Nova Rhino

Maximum System Voltage	:	1000V
Description	:	xxx=435-495, in steps of 5, 96 cells

Product data – type FUxxxM Silk Rhino
Maximum System Voltage : 1000V
Description : xxx=435-495, in steps of 5, 96 cells

Product data – type FUxxxMV Silk Nova
Maximum System Voltage : 1500V
Description : xxx=570-590, in steps of 5, 144 cells
xxx=470-490, in steps of 5, 120 cells
xxx=425-445, in steps of 5, 108 cells
xxx=605-665, in steps of 5, 132cells
xxx= 550-600, in steps of 5, 120cells
xxx= 500-560, in steps of 5, 108cells
xxx=435-495, in steps of 5, 96 cells

Product data – type FUxxxMV Silk Nova Orange
Maximum System Voltage : 1500V
Description : xxx=500-520, in steps of 5, 144cells
xxx=530-550, in steps of 5, 132cells
xxx=425-445, in steps of 5, 120cells
xxx=490-510, in steps of 5, 120cells
xxx=370-400, in steps of 5, 108cells
xxx=440-460, in steps of 5, 108cells
xxx=400-420, in steps of 5, 96cells

Product data – type FUxxxMV Silk Nova Red
Maximum System Voltage : 1500V
Description : xxx=500-520, in steps of 5, 144cells
xxx=530-550, in steps of 5, 132cells
xxx=490-510, in steps of 5, 120cells
xxx=425-445, in steps of 5, 120cells
xxx=370-400, in steps of 5, 108cells
xxx=440-460, in steps of 5, 108cells
xxx=400-420, in steps of 5, 96cells

Product data – type FUxxxMV Silk Nova Rhino
Maximum System Voltage : 1500V
Description : xxx=435-495, in steps of 5, 96 cells

Product data – type FUxxxMV Silk Rhino
Maximum System Voltage : 1500V
Description : xxx=435-495, in steps of 5, 96 cells

Product data – type OGS10M
Maximum System Voltage : 1000V

Product data – type OGS10M Orange
Maximum System Voltage : 1000V

Product data – type OGS10M Red
Maximum System Voltage : 1000V

Product data – type OGS4M Orange
Maximum System Voltage : 1000V

Product data – type OGS4M Red
Maximum System Voltage : 1000V

Product data – type OGS5M
Maximum System Voltage : 1000V

Product data – type OGS5M Orange
Maximum System Voltage : 1000V

Product data – type OGS5M Red
Maximum System Voltage : 1000V

Product data – type OGS8M Orange
Maximum System Voltage : 1000V

Product data – type OGS8M Red
Maximum System Voltage : 1000V

TESTS

Test requirements
IEC 61215-1:2021
IEC 61215-1-1:2021
IEC 61215-2:2021
IEC 61730-1:2023
IEC 61730-2:2023

Test result
The test results are documented in DEKRA test file 624724200.

Additional information
This certificate replaces certificate No. 31-131731 REV.4 which we hereby declare invalid.

The list of components is laid down in test report 6247242A.50A, 6247242A.50B.

Conclusion
The examination has confirmed that all requirements were met.

Factory location
Futurasun Energy (Jiangsu) Co., Ltd.
Bldg 4, 368 Yusheng Road, Jiulong Town, Hailing District,
225300 Taizhou City Jiangsu, China

Trade name(s): FuturaSun stands for

Unique Identifier
The DEKRA Seal has been updated with a modern look. Both the new and old designs of the seal are shown on this certificate, and you may use either version. We strongly encourage you to use the new version for a clearer and more contemporary representation of your certification.

New DEKRA Seal certification mark design:

Old DEKRA Seal certification mark design: